

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| S114  | 14   | (maximum OR max OR predetermined OR set OR preset) near5 (number OR quantity OR amount) near5 ((high OR first) ADJ priorit\$7) near5 (task\$1 OR program\$1 OR application\$1)                                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/04/30 14:30 |
| S115  | 0    | ((maximum OR max OR predetermined OR set OR preset) near5 (number\$1 OR quantit\$3 OR amount\$1)) WITH (concurrent\$2) WITH (((high OR first) ADJ priorit\$7) near5 (task\$1 OR program\$1 OR application\$1))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/04/30 14:32 |
| S116  | 0    | ((maximum OR max OR predetermin\$3 OR set OR preset) near5 (number\$1 OR quantit\$3 OR amount\$1)) WITH (concurrent\$2) WITH (((high OR first) ADJ priorit\$7) near5 (task\$1 OR program\$1 OR application\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/04/30 14:34 |
| S117  | 1    | (maximum OR max OR predetermin\$3 OR set OR preset) WITH (concurrent\$2) WITH (execut\$3 OR run\$4) WITH (((high OR first) ADJ priorit\$7) near5 (task\$1 OR program\$1 OR application\$1))                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/04/30 14:36 |
| S118  | 0    | (maximum OR max OR limi\$3) WITH (concurrent\$2) WITH (execut\$3 OR run\$4 OR process\$3) WITH (((high OR first) ADJ priorit\$7) near5 (task\$1 OR program\$1 OR application\$1))                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/04/30 14:37 |
| S119  | 2    | (number\$1 OR quantit\$3 OR amount\$1) WITH (concurrent\$2) WITH (execut\$3 OR run\$4 OR process\$3) WITH (((high OR first) ADJ priorit\$7) near5 (task\$1 OR program\$1 OR application\$1))                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/04/30 14:38 |
| S120  | 5    | (number\$1 OR quantit\$3 OR amount\$1) WITH (concurrent\$2) WITH (execut\$3 OR run\$4 OR process\$3) WITH (((high OR first) ADJ priorit\$7))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/04/30 14:55 |
| S121  | 4    | (limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5 (task\$3) near5 (((high OR first) ADJ priorit\$7))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/04/30 15:16 |

## EAST Search History

|          |     |  |   |    |    |                  |
|----------|-----|--|---|----|----|------------------|
| S12<br>2 | 9   | ((limit\$3 OR max OR maximum OR restrict\$3) WITH (number\$1 OR quantit\$3 OR amount\$1) WITH (task\$3) WITH (((high OR first) ADJ priorit\$7))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 15:19 |
| S12<br>3 | 130 | ((limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5(concurrent\$2 OR simultaneous\$2) near5 (task\$3))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 18:06 |
| S12<br>4 | 0   | ((limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5(concurrent\$2 OR simultaneous\$2) near5 (task\$3)) SAME ((high OR first) ADJ priorit\$7) SAME (low ADJ priorit\$7)             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 15:39 |
| S12<br>5 | 0   | ((limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5(concurrent\$2 OR simultaneous\$2) near5 (task\$3)) SAME ((high OR first) ADJ priorit\$7)                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 15:27 |
| S12<br>6 | 0   | ((limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5(concurrent\$2 OR simultaneous\$2) near5 (task\$3)) SAME ((high OR first) near2 priorit\$7)                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 15:27 |
| S12<br>7 | 14  | ((limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5(concurrent\$2 OR simultaneous\$2) near5 (task\$3)) SAME (priorit\$7)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 15:28 |
| S12<br>8 | 6   | ((limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5(concurrent\$2 OR simultaneous\$2) near5 (task\$3)) AND ((high OR first) ADJ priorit\$7) AND (low ADJ priorit\$7)               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 15:46 |
| S12<br>9 | 28  | ((limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5(concurrent\$2 OR simultaneous\$2) near5 (task\$3 OR process\$3)) AND ((high OR first) ADJ priorit\$7) AND (low ADJ priorit\$7) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 16:15 |

## EAST Search History

|          |     |  |   |    |     |                  |
|----------|-----|--|---|----|-----|------------------|
| S13<br>0 | 75  | ((limit\$3 OR max OR maximum OR restrict\$3) WITH (number\$1 OR quantit\$3 OR amount\$1) WITH (concurrent\$2 OR simultaneous\$2) WITH (task\$3 OR process\$3)) AND ((high OR first) ADJ priorit\$7) AND (low ADJ priorit\$7)                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/04/30 16:15 |
| S13<br>1 | 59  | ((limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5 (concurrent\$2 OR simultaneous\$2 OR execut\$3) near5 (task\$3 OR process\$3)) AND ((high OR first) ADJ priorit\$7) AND (low ADJ priorit\$7) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/04/30 16:17 |
| S13<br>2 | 604 | (718/103).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR                            | OR | OFF | 2007/04/30 17:27 |
| S13<br>3 | 717 | (718/107).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR                            | OR | OFF | 2007/04/30 17:27 |
| S13<br>4 | 111 | S132 AND S133  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/04/30 17:27 |
| S13<br>5 | 0   | S134 AND (low ADJ priority ADJ lockout)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/04/30 17:28 |
| S13<br>6 | 0   | S134 AND (low near3 priority near3 lockout)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/04/30 17:28 |
| S13<br>7 | 0   | S133 AND (low near3 priority near3 lockout)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/04/30 17:28 |
| S13<br>8 | 0   | S132 AND (low near3 priority near3 lockout)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/04/30 17:28 |
| S13<br>9 | 12  | (low near3 priority near3 lockout)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/04/30 17:33 |

## EAST Search History

|          |    |  |   |    |    |                  |
|----------|----|--|---|----|----|------------------|
|          | 10 | execut\$3 near3 ((low OR second) near2 priorit\$7) SAME ((limit\$3 OR maximum OR max) near5 ((high OR top OR first) near2 priorit\$7))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 17:49 |
| S14<br>1 | 13 | execut\$3 near5 ((low OR second) near2 priorit\$7) SAME ((limit\$3 OR maximum OR max) near5 ((high OR top OR first) near2 priorit\$7))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 17:51 |
| S14<br>2 | 34 | execut\$3 WITH ((low OR second) near2 priorit\$7) SAME ((limit\$3 OR maximum OR max) WITH ((high OR top OR first) near2 priorit\$7))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 17:58 |
| S14<br>3 | 34 | execut\$3 WITH (((low OR second) near2 priorit\$7) OR background) SAME ((limit\$3 OR maximum OR max) WITH ((high OR top OR first) near2 priorit\$7))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 17:59 |
| S14<br>4 | 0  | (limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5(concurrent\$2 OR simultaneous\$2) near5 (((high OR top OR first) near2 priorit\$7) OR critical) near5 (task\$3) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 18:02 |
| S14<br>5 | 0  | (limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5 (concurrent\$2 OR simultaneous\$2) near5 ((priorit\$7) OR critical) near5 (task\$3)                             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 18:03 |
| S14<br>6 | 1  | (limit\$3 OR max OR maximum OR restrict\$3) near5 (concurrent\$2 OR simultaneous\$2) near5 ((priorit\$7) OR critical) near5 (task\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 18:03 |
| S14<br>7 | 3  | (limit\$3 OR max OR maximum OR restrict\$3) near8 (concurrent\$2 OR simultaneous\$2) near8 ((priorit\$7) OR critical) near5 (task\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 18:04 |
| S14<br>8 | 33 | (limit\$3 OR max OR maximum OR restrict\$3) near5 (number\$1 OR quantit\$3 OR amount\$1) near5 (concurrent\$2 OR simultaneous\$2) near5 (execut\$3) near5 (task\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/04/30 18:07 |